



PRO SERIES ROLL-OFF DUMP HYDRAULIC DUMP TRAILERS BUMPER PULL

	16', 15.4K	16', 17.6K
Model #	NSTBRC8216-BP-154	NSTBRC8216-BP-176
GVWR (lbs)	15400	17600
GAWR (lbs/axle)	7000	8000
Curb Weight	2825	3100
Payload	12575	14500
Frame	W8x15 Beam	
Tongue	W8x15 Beam	
Coupler	Adjustable 4-Bolt Pintle Eye	
Jack	Set Back HD 2-Speed 12K Dropleg	
Fenders	Heavy Duty Treadplate, Double Break	
Axles	Easy Lube Hubs with Brakes	Oil Bath Hubs with Brakes
Suspension	Slipper Spring	
Tires	235/80R16 LRE	215/75R17.5 LRJ
Wheels	Black Steel, 16", 8 on 6.5, Radial	Black Steel, 17.5", 8 on 6.5, Radial
Lights	ALL LED Lights	
Electric Plug	7 Pole RV Molded Flat Blade	
Finish	PPG Industrial Grade Poly Primer & Paint	
Overall Length	22'	
Deck Height	28"	
Coupler Height	Adjustable 21-30"	
Hydraulic Hoist	Scissor Hoist, Power Up, Power Down	
Pump	3000 PSI	
Battery	Dual, Group 31 Deep Cycle	

ADDITIONAL FEATURES

EverLink™ Wiring Harness
 Sealed Brake Connections
 Spare Tire Carrier
 Side Steps
 Large Hydraulic Pump Box with Divider and Interior Light
 Loading Lights
 22K Warrior Winch (In Protected Box)
 Maintenance Free Batteries (Dual)
 Battery Charger, 110-Volt
 Tuff® Wireless Controller (Operates both the Winch and Dump Hoist)
 Mesh Tarp Kit (Installed)



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing

ST PRO SERIES ROLL-OFF DUMP GOOSENECK

HYDRAULIC DUMP TRAILERS

	16', 15.4K	16', 17.6K
Model #	NSTBRC8216-GN-154	NSTBRC8216-GN-176
GVWR (lbs)	15400	17600
GAWR (lbs/axle)	7000	8000
Curb Weight	2900	3175
Payload	12500	14425
Frame	W8x15	
Tongue	W12x14 Uprights W10x12 Horizontal Arm	
Coupler	Adjustable 2-5/16" Gooseneck Coupler	
Jack	Dual HD 2-Speed 12K Dropleg	
Fenders	Heavy Duty Treadplate, Double Break	
Axles	Easy Lube Hubs with Brakes	Oil Bath Hubs with Brakes
Suspension	Slipper Spring	
Tires	235/80R16 LRE	215/75R17.5 LRJ
Wheels	Black Steel, 16", 8 on 6.5, Radial	Black Steel, 17.5", 8 on 6.5, Radial
Lights	ALL LED Lights	
Electric Plug	7 Pole RV Molded Flat Blade	
Finish	PPG Industrial Grade Poly Primer & Paint	
Overall Length	25'	
Deck Height	28"	
Coupler Height	Adjustable 31 - 39.75"	
Hydraulic Hoist	Scissor Hoist, Power Up, Power Down	
Pump	3000 PSI	
Battery	Dual, Group 31 Deep Cycle	



ADDITIONAL FEATURES

- HD I-Beam Gooseneck Tongue
- Spare Tire Carrier
- Side Steps
- Large Hydraulic Pump Box with Divider and Interior Light
- Loading Lights
- 22K Warrior Winch (In Protected Box)
- Maintenance Free Batteries (Dual)
- Battery Charger, 110-Volt
- Tuff® Wireless Controller (Operates both the Winch and Dump Hoist)
- Mesh Tarp Kit (Installed)



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing



PRO SERIES

HYDRAULIC DUMP TRAILERS

ROLL-OFF DUMP BINS

Bins with 2' Sides

	14' (2' Sides)	16' (2' Sides)
Model #	NSTROB82142-063	NSTROB82162-073
Empty Weight	1750	1950
Bin Capacity	6.25 Cubic Yards	7.25 Cubic Yards
Decking	7 gauge, Smooth Steel	
Finish	PPG Industrial Grade Poly Primer & Paint	
Length	176"	200"
BIN Length Inside	168"	192"
BIN Width Inside	82"	82"
BIN Height Inside	24"	24"
Gate	Barn Doors with Cambar	

Bins with 4' Sides

	14' (4' Sides)	16' (4' Sides)
Model #	NSTROB82144-135	NSTROB82164-155
Empty Weight	2135	2250
Bin Capacity	13.5 Cubic Yards	15.5 Cubic Yards
Decking	7 gauge, Smooth Steel	
Finish	PPG Industrial Grade Poly Primer & Paint	
Length	176"	200"
BIN Length Inside	168"	192"
BIN Width Inside	89.5"	
BIN Height Inside	48"	
Gate	Barn Doors with Cambar	

Bins with 6' Sides

	14' (6' Sides)	16' (6' Sides)
Model #	NSTROB82146-213	NSTROB82166-245
Empty Weight	2690	2940
Bin Capacity	21.25 Cubic Yards	24.5 Cubic Yards
Decking	7 gauge, Smooth Steel	
Finish	PPG Industrial Grade Poly Primer & Paint	
Length	176"	200"
BIN Length Inside	168"	192"
BIN Width Inside	82"	
BIN Height Inside	72"	
Gate	Barn Doors with Cambar	



ADDITIONAL FEATURES

- 3" x 2" Tube Top Rail
- 10-Gauge High Rigidity Side Wall Profile
- HD Reinforced Combo Barn Door Spreader Gate w/Cambar
- 7-Gauge Floor
- Spare Tire Carrier
- Grab Handles



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing