



HD LOW PROFILE TELESCOPIC HYDRAULIC DUMP TRAILERS

	82" x 12, 12K	82" x 12, 14K	82" x 14, 14K	82" x 16, 14K	82" x 14, 16K	82" x 16, 16K
Model #	ST8212TLDD-B-120	ST8212TLDD-B-140	ST8214TLDD-B-140	ST8216TLDD-B-140	ST8214TLDD-B-160	ST8216TLDD-B-160
GVWR (lbs)	12000	14000	14000	14000	16000	16000
GAWR (lbs/axle)	6000	7000	7000	7000	8000	8000
Curb Weight	3500	3720	3880	4100	4120	4340
Payload	8500	10280	10120	9900	11880	11660
Frame	6x2, 3/16" Tube	6 x 2, 3/16" Tube	6 x 2, 3/16" Tube	6 x 2, 1/4" Tube		
Cross Members	4" C-Channel					
Tongue	6 x 2 Tube	6 x 2 Tube	6 x 2 Tube	6 x 2 Tube	8 x 2 Tube	8 x 2 Tube
Sides	24" Tall					
Coupler	Adjustable 2-5/16" Ball Coupler				Adjustable 4-Bolt Pintle Eye	
Jack	Setback 7K Drop Leg Jack	Setback HD 12K Drop Leg Jack				
Fenders	Heavy Duty Tread Plate, Double Brake					
Axles	Easy Lube Hubs with Brakes				Oil Bath Hubs with Brakes	
Suspension	Slipper Spring					
Tires	235/80R16 LRE				215/75R17.5 LRH	
Wheels	16", 8 on 6.5, Radial				17.5", 8 on 6.5, Radial	
Decking	10 Ga. Smooth Steel					
Lights	All LED Lights					
Electric Plug	7-Way RV-Style Molded Plug					
Finish	Powder Coated High Gloss Black					
Overall Length	198"	198"	222"	246"	222"	246"
Bed Length Inside	144"	144"	168"	192"	168"	192"
Bed Width Inside	82"	82"	82"	82"	82"	82"
Bed Height Inside	24"	24"	24"	24"	24"	24"
Deck Height	29"	29"	29"	29"	29"	29"
Coupler Height	Adjustable 19-27"					
Gate	Combination Barn Door Spreader Gate with Cambar					
Hydraulic Hoist	Telescopic Hoist, Power Up, Gravity Down					
Pump	2300 PSI	2300 PSI	2300 PSI	2300 PSI	2500 PSI	2500 PSI
Battery	Group 24 Deep Cycle	Group 24 Deep Cycle	Group 24 Deep Cycle	Group 31 Deep Cycle	Group 31 Deep Cycle	Group 31 Deep Cycle

ADDITIONAL FEATURES

- 24" Tall Rigid Panels
- 2" x 2" Tube Top Rail
- Board Holders
- Safety Chains
- Breakaway Switch with Battery
- EverLink™ Wiring Harness
- Sealed Brake Connections
- Stabilizer Jack Receivers (Jacks Optional)
- 10-Gauge Floor
- (5) 1/2" D-Rings
- Stake Pockets
- Spare Tire Carrier
- Side Steps
- Integrated Tarp Mount
- Mesh Tarp Kit with Anti-Sail Kit
- Tongue Mounted Drop-In HD Control Box with Key Lock
- Underbody Secure Tool Storage
- Battery Charger, 110-Volt
- Limited 3-Year Warranty



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing



ST HD LOW PROFILE SCISSOR

HYDRAULIC DUMP TRAILERS

	82" x 12, 12K	82" x 12, 14K	82" x 14, 14K	82" x 16, 14K	82" x 14, 16K	82" x 16, 16K
Model #	ST8212HLOD-B-120	ST8212HLOD-B-140	ST8214HLOD-B-140	ST8216HLOD-B-140	ST8214HLOD-B-160	ST8216HLOD-B-160
GVWR (lbs)	12000	14000	14000	14000	16000	16000
GAWR (lbs/axle)	6000	7000	7000	7000	8000	8000
Curb Weight	3660	3880	4080	4420	4320	4660
Payload	8340	10120	9920	9580	11680	11340
Frame	5 x 2, 3/16" Tube	6 x 2, 3/16" Tube	6 x 2, 3/16" Tube	6 x 2, 1/4" Tube		
Cross Members	4" C-Channel					
Tongue	5 x 2 Tube	6 x 2 Tube	6 x 2 Tube	6 x 2 Tube	8 x 2 Tube	8 x 2 Tube
Sides	24" Tall					
Coupler	Adjustable 2-5/16" Ball Coupler				Adjustable 4-Bolt Pintle Eye	
Jack	Setback 7K Drop Leg Jack	Setback HD 12K Drop Leg Jack				
Fenders	Heavy Duty Tread Plate, Double Brake					
Axles	Easy Lube Hubs with Brakes				Oil Bath Hubs with Brakes	
Suspension	Slipper Spring					
Tires	235/80R16 LRE				215/75R17.5 LRH	
Wheels	16", 8 on 6.5, Radial				17.5", 8 on 6.5, Radial	
Decking	10 Ga. Smooth Steel					
Lights	All LED Lights					
Electric Plug	7-Way RV-Style Molded Plug					
Finish	Powder Coated High Gloss Black					
Overall Length	198"	198"	222"	246"	222"	246"
Bed Length Inside	144"	144"	168"	192"	168"	192"
Bed Width Inside	82"	82"	82"	82"	82"	82"
Bed Height Inside	24"	24"	24"	24"	24"	24"
Deck Height	29"	29"	29"	29"	29"	29"
Coupler Height	Adjustable 19-27"					
Gate	Combination Barn Door Spreader Gate with Cambar					
Hydraulic Hoist	Power Up, Gravity Down					
Pump	2500 PSI	2800 PSI	2800 PSI	2500 PSI	2800 PSI	2800 PSI
Battery	Group 24 Deep Cycle	Group 24 Deep Cycle	Group 24 Deep Cycle	Group 31 Deep Cycle	Group 31 Deep Cycle	Group 31 Deep Cycle

ADDITIONAL FEATURES

- 24" Tall Rigid Panels
- 2" x 2" Tube Top Rail
- Board Holders
- Safety Chains
- Breakaway Switch with Battery
- EverLink™ Wiring Harness
- Sealed Brake Connections
- Stabilizer Jack Receivers (Jacks Optional)
- 10-Gauge Floor
- (5) 1/2" D-Rings
- Stake Pockets
- Spare Tire Carrier
- Side Steps
- Integrated Tarp Mount
- Mesh Tarp Kit with Anti-Sail Kit
- Tongue Mounted Drop-In HD Control Box with Key Lock
- Underbody Secure Tool Storage
- Battery Charger, 110-Volt
- Limited 3-Year Warranty



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing



HD LOW PROFILE DUAL RAM

HYDRAULIC DUMP TRAILERS

	82" x 12, 12K	82" x 12, 14K	82" x 14, 14K
Model #	ST8212DD-B-120	ST8212DD-B-140	ST8214DD-B-140
GVWR (lbs)	12000	14000	14000
GAWR (lbs/axle)	6000	7000	7000
Curb Weight	3500	3720	3880
Payload	8500	10280	10120
Frame	5 x 2, 3/16" Tube	6 x 2, 3/16" Tube	6 x 2, 3/16" Tube
Cross Members	4" C-Channel		
Tongue	5 x 2 Tube	6 x 2 Tube	6 x 2 Tube
Sides	24" Tall		
Coupler	Adjustable 2-5/16" Ball Coupler		
Jack	Setback 7K Drop Leg Jack	Setback HD 12K Drop Leg Jack	
Fenders	Heavy Duty Tread Plate, Double Brake		
Axles	Easy Lube Hubs with Brakes		
Suspension	Slipper Spring		
Tires	235/80R16 LRE		
Wheels	16", 8 on 6.5, Radial		
Decking	10 Ga. Smooth Steel		
Lights	All LED Lights		
Electric Plug	7-Way RV-Style Molded Plug		
Finish	Powder Coated High Gloss Black		
Overall Length	198"	198"	222"
Bed Length Inside	144"	144"	168"
Bed Width Inside	82"	82"	82"
Bed Height Inside	24"	24"	24"
Deck Height	29"	29"	29"
Coupler Height	Adjustable 19-27"		
Gate	Combination Barn Door Spreader Gate with Cambar		
Hydraulic Hoist	Power Up, Power Down		
Pump	2300 PSI	3000 PSI	3000 PSI
Battery	Group 24 Deep Cycle	Group 24 Deep Cycle	Group 24 Deep Cycle

ADDITIONAL FEATURES

- 24" Sides
- Integrated Side Body Stiffening System
- Board Holders
- Safety Chains
- Breakaway Switch with Battery
- EverLink™ Wiring Harness
- Sealed Brake Connections
- Stabilizer Jack Receivers (Jacks Optional)
- 10-Gauge Floor
- (5) 1/2" D-Rings
- Stake Pockets
- Spare Tire Carrier
- Side Steps
- Integrated Tarp Mount
- Mesh Tarp Kit with Anti-Sail Kit
- Tongue Mounted HD Control Box with Key Lock
- Underbody Secure Tool Storage
- Battery Charger, 110-Volt
- Limited 3-Year Warranty



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing



HD LOW PROFILE W/ 4' SIDES

HYDRAULIC DUMP TRAILERS

	82" x 12	82" x 14	82" x 16
Model #	ST8212TLDD4-B-140	ST8214TLDD4-B-140	ST8216TLDD4-B-140
GVWR (lbs)	14000	14000	14000
GAWR (lbs/axle)	7000	7000	7000
Curb Weight	3870	4030	4250
Payload	10130	9970	9750
Frame	6 x 2 Tube		
Cross Members	4" C-Channel		
Tongue	6 x 2 Tube		
Sides	48" Tall		
Coupler	Adjustable 2-5/16" Ball Coupler		
Jack	Setback HD 12K Drop Leg Jack		
Fenders	Heavy Duty Tread Plate, Double Brake		
Axles	Easy Lube Hubs with Brakes		
Suspension	Slipper Spring		
Tires	235/80R16 LRE		
Wheels	16", 8 on 6.5, Radial		
Decking	10 Ga. Smooth Steel		
Lights	All LED Lights		
Electric Plug	7-Way RV-Style Molded Plug		
Finish	Powder Coated High Gloss Black		
Overall Length	198"	222"	246"
Bed Length Inside	144"	168"	192"
Bed Width Inside	82"	82"	82"
Bed Height Inside	48"	48"	48"
Deck Height	29"	29"	29"
Coupler Height	Adjustable 19-27"		
Gate	Combination Barn Door Spreader Gate with Cambar		
Hydraulic Hoist	Telescopic Hoist, Power Up, Gravity Down		
Hydraulic Pump	2300 PSI	2300 PSI	2300 PSI
Battery	Group 24 Deep Cycle	Group 24 Deep Cycle	Group 31 Deep Cycle

ADDITIONAL FEATURES

- 48" Sides
- Integrated Side Body Stiffening System
- Board Holders
- Safety Chains
- Breakaway Switch with Battery
- EverLink™ Wiring Harness
- Sealed Brake Connections
- Stabilizer Jack Receivers (Jacks Optional)
- 10-Gauge Floor
- (5) 1/2" D-Rings
- Stake Pockets
- Spare Tire Carrier
- Side Steps
- Integrated Tarp Mount
- Mesh Tarp Kit with Anti-Sail Kit
- Tongue Mounted HD Control Box with Key Lock
- Underbody Secure Tool Storage
- Battery Charger, 110-Volt
- Limited 3-Year Warranty



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing